

**OFFICE OF THE CHIEF OFFICER
NOTIFIED AREA AUTHORITY**

Plot No. 618, 619, AIA Community Centre,
GIDC, Ankleshwar - 393 002.
☎ : (02646) 253094, 222487 Fax : 251750

**મુખ્ય અધિકારીશ્રીની કચેરી
નિર્દિષ્ટ વિસ્તાર**

પ્લોટ નં. ૬૧૮, ૬૧૯, એ.આઈ.એ. કોમ્યુનિટી સેન્ટર
જી.આઈ.ડી.સી., અંકલેશ્વર-૩૯૩૦૦૨
☎ : (૦૨૬૪૬) ૨૫૩૦૯૪, ૨૨૨૪૮૭ ફેક્સ : ૨૫૧૭૫૦

Ref. No. : N.T.A./ANK/ 1603


Date : -20
17 JUN 2021

TO WHOMSOEVER IT MAY CONCERN


This is to certify that the Health & Sanitation condition mentioned by **Shree Swaminarayan Gurukul Public School**, Plot No. 508, GIDC, Ankleshwar - 393002, Dist.: Bharuch, Gujarat is suitable for education as per norms.

Good health environment and water for students as per health concern. Sanitation facility for children is more than enough and it is neat and clean. It is good for the students of the school.

The drinking water provided from Drinking Water Purify System is in Hygienic condition and safe for drinking water.


Chief Officer,
Notified Area,
GIDC, Ankleshwar.

To,
Shree Swaminarayan Gurukul Public School
Plot No. 508,
GIDC, Ankleshwar.

F 
Principal
Shree Swaminarayan
Gurukul Public School
Ankleshwar