

**OFFICE OF THE CHIEF OFFICER
NOTIFIED AREA AUTHORITY**

**મુખ્ય અધિકારીશ્રીની કચેરી
નિર્દિષ્ટ વિસ્તાર**

Plot No. 618, 619, AIA Community Centre,
GIDC, Ankleshwar - 393 002.
☎ : (02646) 253094, 222487 Fax : 251750

પ્લોટ નં. ૬૧૮, ૬૧૯, એ.આઈ.એ. કોમ્યુનિટી સેન્ટર,
જી.આઈ.ડી.સી., અંકલેશ્વર-૩૯૩૦૦૨.
☎ : (૦૨૬૪૬) ૨૫૩૦૯૪, ૨૨૨૪૮૭ ફેક્સ : ૨૫૧૭૫૦

Ref. No. : N.T.A./ANK/ 2525

Date : - -20
23 JUN 2023

TO WHOMSOEVER IT MAY CONCERN

It is certified that an inspection team headed by **Vipul Gajera, Chief Officer** from Notified Area, GIDC, Ankleshwar inspected the Shree Swaminarayan Gurukul Public School-CBSE, Plot No.508, GIDC, Ankleshwar on 21/06/2023, checked the water test report submitted by the school and found that the school has potable drinking water for students and staff of the institution and is having provision for running water in the toilets and maintaining hygienic sanitation condition in the school building & the campus as per norms prescribed by the State.

This certificate valid up to one year from the date of issue.



**Chief Officer,
Notified Area,
GIDC, Ankleshwar.**

To
Shree Swaminarayan Gurukul Public School-CBSE,
Plot No.508, GIDC, Ankleshwar

**Principal
Shree Swaminarayan
Gurukul Public School
Ankleshwar**

